

43




FIG. 1B




FIG. 1A

201020-14892660




FIG. 1C




FIG. 2

| Legend | | |
|----------------|---------------|--|
| Shifted Symbol | Option Symbol | |
| Normal Symbol | | |

<-one hardware key

FIG. 3A

| Complete Keyboard Layout | | | | | | | | | | | | | | | | | | | |
|--------------------------|-------|---|---|---|-----|---|-----|---|-------|-----|---|---|----------|---|-----|---|--------------|-----------|-----|
| Q | Cntrs | W | @ | E | \$ | R | / | T | * | Y | 1 | U | 2 | I | 3 | O | # | P | " |
| q | | w | | e | | r | | t | | y | | u | | i | | o | | p | |
| A | % | S | (| D |) | F | - | G | + | H | 4 | J | 5 | K | 6 | L | . | N/A | N/A |
| a | | s | | d | | f | | g | | h | | j | | k | | | | Backspace | |
| N/A | N/A | Z | : | X | ! | C | ? | V | , | B | 7 | N | 8 | M | 9 | . | | N/A | N/A |
| Option | | z | | x | | c | | v | | b | | n | | m | | | | Return | |
| | N/A | | | | Fn1 | | Tab | | | N/A | | | 0 | | N/A | | Launcher | | |
| | | | | | | | | | Space | | | | ListType | | | | Menu/Command | | |
| | | | | | | | | | | | | | | | | | | | |

FIG. 3B




FIG. 4

201020-1425260





FIG. 5

201020-14297660



| Action | Device Power Save State (including Active Headset Call) | Incoming Call | | | Device Power-On-State | | | Other |
|--------------------|--|------------------------------|-----------------------------|--|--|-------------|---|---|
| | | Within 1s of Notification | After 1s of Notification | Answers call | No Headset | Active Call | Headset | |
| Opening the Lid | Transitions device to device power-on- state; Launches an application assigned to the lid (e.g. telephone application, by default). | Nothing | | Answers call | Not Applicable (e.g. Lid already is open) | | Nothing | Nothing |
| Closing the Lid | Nothing | Nothing | | Silences ring, Ignores call, Transitions device to a device power-save- state. | Hangs Up, Transitions device to a device power- save-state. | | Transitions device to a device power- save-state; Does not hang up the call. | Transitions device to a device power- save-state. |

F16.7




FIG. 8A




FIG. 8B

09976341-020302

20100201 14392650




FIG. 8F




FIG. 8E




FIG. 8D




FIG. 8C




FIG. 9B




FIG. 9A




FIG. 10

201000-14834660

FIG. 11A




FIG. 11B

